

## VT 147 BIOMEDICAL CHEST FREEZER

-40°C -60°c

The VT low temperature freezers creates the possibility to maintain temperatures as low as -60°C. Supreme stability, reliability, user-friendliness and ease of cleaning make these freezers an ideal solution for laboratories and hospitals.





DIMENSIONS	
Outer Dimensions HxWxD, mm	885x725x60
Inner Dimensions HxWxD, mm	635x560x44
Weight Gross/Net, kg	54,6 / 50
Material inner cabinet	Painted Stee
Material outer cabinet	Painted Stee
Packaging weight, kg	
Packaging dimensions HxWxD, mm	900x773x72
Insulation thickness, mm	8
Insulation type	Polyurethane with Cyclopentan
Mobility / Castors	Ye
Refrigerant, Type	Nature
Number of compressors	
Internal Air Distribution	Stati
Number of Probes	
CONTROLLER	
Controller	XR30C
Controller language	No language - only 3 digit
USB Connection	N
Logging	N
Temperature Graph	N
High/Low Temp. Alarm	Ye
Open Door Alarm	N
Probe Failure Alarm	Ye
Power Failure Alarm	N
STORAGE	
Volume, Gross/net, L	14
Baskets	
Basket material	Steel coated with plastic powde
Innerlids	
FEATURES	
Lock	Ye
LED Light	N
Battery Backup for Controller, 24h	N
Porthole	Yes - Ø 12 mr
Dry Contact	N
Door	Soli
Door Reversibility	N/

SOLUTIONS



BIOMEDICAL

The VT low temperature freezers creates the possibility to maintain temperatures as low as -60°C. Supreme stability, reliability, user-friendliness and ease of cleaning make these freezers an ideal solution for laboratories and hospitals.

Frequency	Hz	50Hz
Max Ambient	°C	30°C
Max Humidity	% rh	55%
PERFORMANCE		
All data in RT20°C		
Temperature Range	°C	-40 to -60
Uniformity in performance - difference +/- from Avg set point	°C	6,2
Pull down time (from 25 to factory setpoint)	Minutes	143
Hold over time (from factory SP to -25, -40 and -60) Empty	Minutes	86-92
Refrigerant		Nature R
Number of probes	pcs	1
Defrost	y/n	No
Internal air distribution		Static
Number of compressors	pcs	1
Safety thermostat	y/n	No
Energy 24 hours	kWh/24h	3,707
Energy year	kWh/year	1353,055

2



## **VT 147**-60°C LOW TEMPERATURE FREEZER

Height, mm	885
Width, mm	720
Depth, mm	600
Incl. handle, mm	695

All measurements in mm.





